

1  
of  
1



### Rainy River District School Board

Crossroads School - Plumbing Installed 1996

Water Flushing Procedure and Record Sheet - DWS 260009776 / 500141857

Flushing Procedure: Any errors or omissions must be reported to the Manager of Plant Operations and Mtce immediately. Do not modify this form without approval.

THIS PROCEDURE MUST BE COMPLETED BEFORE 8:30AM. WEEKLY FLUSHING MUST BE DONE ON MONDAYS.

1. Refer to the Crossroads School Flushing Floor Plan for the location of the sinks listed below.

2. 5 Minute Flush: Turn on the cold water tap at the sink indicated for 5 minutes. Record the time the flush started and the time it ended. 5 min flush must be completed 1st.

3. 10 Second Flush: After 5 min flush, turn on each sinks cold water tap or run each fountain indicated for 10 seconds. Record the time that the flush was started only.

Year	Flushing Type: Weekly		**All times AM and recorded to the nearest minute. Ex. 7:46**																		Principal:		
2017	5 Minute Flush		10 Second Flush - Record Time Completed in Space																		Flushing		
Month	5 Minute Flush		10 Second Flush - Record Time Completed in Space																		Completed By		
Nov.	Rm 7 Sink	Rm 8	Rm 6	Rm 5	Rm 9	Rm 12	Rm 4	Rm 3	N.Hall	Rm 2	Rm 1	Rm 32	Rm 31	Rm 30	Rm 19	Rm 21	Rm 23	Rm 28	S.Hall	Rm 29	Rm 26	Flushing	
Day	Start	End	Sink	Sink	Sink	3 Sinks	3 Sinks	Sink	Sink	Fountain	Sink	2 Sinks	1 Sink	2 Sinks	3 Sinks	1 Sink	1 Sink	1 Sink	2 Sinks	Fountain	2 Sinks	2 Sinks	Name
1	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
2	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
3	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
4	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
5	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
6	7:36	7:41	7:41	7:42	7:42	7:43	7:44	7:45	7:45	OS	7:46	7:46	7:47	7:48	7:49	7:50	7:50	7:51	7:51	OS	7:52	7:54	D. Olson
7	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
8	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
9	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
10	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
11	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
12	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
13	7:35	7:40	7:40	7:41	7:41	7:42	7:43	7:44	7:44	OS	7:45	7:45	7:46	7:47	7:47	7:48	7:48	7:49	7:50	OS	7:51	7:52	D. Olson
14	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
15	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
16	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
17	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
18	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
19	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
20	7:36	7:41	7:41	7:42	7:42	7:43	7:44	7:45	7:45	OS	7:46	7:46	7:47	7:48	7:49	7:50	7:50	7:51	7:51	OS	7:52	7:54	D. Olson
21	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
23	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
24	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
25	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
26	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
27	7:40	7:45	7:45	7:46	7:46	7:47	7:48	7:49	7:49	OS	7:50	7:51	7:51	7:52	7:53	7:53	7:54	7:55	7:55	OS	7:56	7:57	D. Olson
28	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
29	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
30	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
31	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	

OS=sink/fountain is out of service and cannot be flushed



### Rainy River District School Board

Crossroads School - Plumbing Installed 1996

Water Flushing Procedure and Record Sheet - DWS 260009776 / 500141857

Flushing Procedure: Any errors or omissions must be reported to the Manager of Plant Operations and Mtce immediately. Do not modify this form without approval.

THIS PROCEDURE MUST BE COMPLETED BEFORE 8:30AM. WEEKLY FLUSHING MUST BE DONE ON MONDAYS.

1. Refer to the Crossroads School Flushing Floor Plan for the location of the sinks listed below.

2. 5 Minute Flush: Turn on the cold water tap at the sink indicated for 5 minutes. Record the time the flush started and the time it ended. 5 min flush must be completed 1st.

3. 10 Second Flush: After 5 min flush, turn on each sinks cold water tap or run each fountain indicated for 10 seconds. Record the time that the flush was started only.

Year	Flushing Type: Weekly		**All times AM and recorded to the nearest minute. Ex. 7:46**																		Principal:		
Month	5 Minute Flush		10 Second Flush - Record Time Completed in Space																		Flushing		
Day	Rm 7 Sink	Rm 8 Sink	Rm 6 Sink	Rm 5 Sink	Rm 9 3 Sinks	Rm 12 3 Sinks	Rm 4 Sink	Rm 3 Sink	N.Hall Fountain	Rm 2 Sink	Rm 1 2 Sinks	Rm 32 1 Sink	Rm 31 2 Sinks	Rm 30 3 Sinks	Rm 19 1 Sink	Rm 21 1 Sink	Rm 23 1 Sink	Rm 28 2 Sinks	S.Hall Fountain	Rm 29 2 Sinks	Rm 26 2 Sinks	Completed By Name	
2017	OCT																						
1	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
2	7:35	7:40	7:41	7:41	7:42	7:43	7:44	7:44	7:45	/	7:46	7:46	7:47	7:47	7:48	7:49	7:50	7:50	7:51	/	7:52	7:53	D. Olson
3	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
4	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
5	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
6	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
7	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
8	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
9	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
10	7:34	7:39	7:40	7:40	7:41	7:41	7:42	7:43	7:43	/	7:44	7:44	7:45	7:45	7:46	7:47	7:47	7:48	7:49	/	7:50	7:51	D. Olson
11	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
12	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
13	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
14	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
15	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
16	7:32	7:37	7:38	7:38	7:39	7:39	7:40	7:41	7:41	/	7:41	7:42	7:43	7:43	7:44	7:45	7:46	7:46	7:47	/	7:48	7:49	D. Olson
17	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
18	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
19	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
20	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
21	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
23	7:36	7:41	7:42	7:43	7:43	7:44	7:46	7:47	7:48	/	7:48	7:49	7:50	7:51	7:53	7:54	7:55	7:55	7:56	/	7:57	7:58	K. TITOLU
24	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
25	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
26	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
27	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
28	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
29	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
30	7:31	7:36	7:37	7:38	7:38	7:39	7:40	7:41	7:41	/	7:42	7:42	7:43	7:44	7:45	7:45	7:46	7:46	7:47	/	7:48	7:49	D. Olson
31	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	

OS=sink/fountain is out of service and cannot be flushed



# Rainy River District School Board

Crossroads School - Plumbing Installed 1996

Water Flushing Procedure and Record Sheet - DWS 26009776 / 500141857

Flushing Procedure: Any errors or omissions must be reported to the Manager of Plant Operations and Mtce immediately. Do not modify this form without approval.

**THIS PROCEDURE MUST BE COMPLETED BEFORE 8:30AM. WEEKLY FLUSHING MUST BE DONE ON MONDAYS.**

1. Refer to the Crossroads School Flushing Floor Plan for the location of the sinks listed below.

2. 5 Minute Flush: Turn on the cold water tap at the sink indicated for 5 minutes. Record the time the flush started and the time it ended. 5 min flush must be completed 1st.

3. 10 Second Flush: After 5 min flush, turn on each sinks cold water tap or run each fountain indicated for 10 seconds. Record the time that the flush was started only.

Year	Flushing Type: Weekly		**All times AM and recorded to the nearest minute. Ex. 7:46**																		Principal:			
Month	5 Minute Flush			10 Second Flush - Record Time Completed in Space																		Flushing Completed By		
Sept.	Rm 7 Sink	Rm 8	Rm 6	Rm 5	Rm 9	Rm 12	Rm 4	Rm 3	N.Hall	Rm 2	Rm 1	Rm 32	Rm 31	Rm 30	Rm 19	Rm 21	Rm 23	Rm 28	S.Hall	Rm 29	Rm 26	Completed By		
Day	Start	End	Sink	Sink	Sink	3 Sinks	3 Sinks	Sink	Sink	Fountain	Sink	2 Sinks	1 Sink	2 Sinks	3 Sinks	1 Sink	1 Sink	1 Sink	2 Sinks	Fountain	2 Sinks	2 Sinks	Name	
1	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
2	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
3	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
4	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
5	7:34	7:39	7:40	7:40	7:41	7:42	7:43	7:43	7:44	/	7:45	7:45	7:46	7:47	7:48	7:48	7:49	7:50	7:50	/	7:51	7:52	D. Olson	
6	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
7	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
8	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
9	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
10	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
11	7:35	7:40	7:41	7:41	7:42	7:43	7:43	7:44	7:44	/	7:45	7:46	7:46	7:47	7:48	7:49	7:49	7:50	7:50	/	7:51	7:52	D. Olson	
12	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
13	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
14	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
15	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
16	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
17	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
18	7:34	7:39	7:40	7:41	7:41	7:42	7:43	7:44	7:45	/	7:46	7:46	7:47	7:48	7:49	7:49	7:50	7:50	7:51	7:52	/	7:53	7:54	D. Olson
19	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
20	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
21	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
23	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
24	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
25	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
26	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
27	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
28	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
29	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
30	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
31	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	

OS=sink/fountain is out of service and cannot be flushed



# Rainy River District School Board

Crossroads School - Plumbing Installed 1996

Water Flushing Procedure and Record Sheet - DWS 260009776 / 500141857

Flushing Procedure: Any errors or omissions must be reported to the Manager of Plant Operations and Mtce immediately. Do not modify this form without approval.

**THIS PROCEDURE MUST BE COMPLETED BEFORE 8:30AM. WEEKLY FLUSHING MUST BE DONE ON MONDAYS.**

1. Refer to the Crossroads School Flushing Floor Plan for the location of the sinks listed below.

2. 5 Minute Flush: Turn on the cold water tap at the sink indicated for 5 minutes. Record the time the flush started and the time it ended. 5 min flush must be completed 1st.

3. 10 Second Flush: After 5 min flush, turn on each sinks cold water tap or run each fountain indicated for 10 seconds. Record the time that the flush was started only.

Year	Flushing Type: Weekly		**All times AM and recorded to the nearest minute. Ex. 7:46**																	Principal:			
Month	5 Minute Flush			10 Second Flush - Record Time Completed in Space																	Flushing Completed By		
Day	Rm 7 Sink	Rm 8 Sink	Rm 6 Sink	Rm 5 Sink	Rm 9 3 Sinks	Rm 12 3 Sinks	Rm 4 Sink	Rm 3 Sink	N.Hall Fountain	Rm 2 Sink	Rm 1 2 Sinks	Rm 32 1 Sink	Rm 31 2 Sinks	Rm 30 3 Sinks	Rm 19 1 Sink	Rm 21 1 Sink	Rm 23 1 Sink	Rm 28 2 Sinks	S.Hall Fountain	Rm 29 2 Sinks	Rm 26 2 Sinks	Flushing Completed By Name	
1	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
2	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
3	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
4	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
5	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
6	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
7	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
8	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
9	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
10	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
11	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
12	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
13	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
14	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
15	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
16	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
17	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
18	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
19	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
20	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
21	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
22	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
23	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
24	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
25	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
26	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
27	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
(28)	7:55	8:00	8:01	8:02	8:03	8:04	8:05	8:06	8:07	8:08	8:09	8:10	8:11	8:12	8:13	8:14	8:15	8:16	8:17	8:18	8:19	D-olson.	
29	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
30	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	
31	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	:	

OS=sink/fountain is out of service and cannot be flushed